







Welcome to the World of Xylem, where we live and breathe innovation. Our world exists to make yours better. Each laminate delivers inspiring, high quality and artistic excellence to define your style. From the assembling of unique designs to the exclusive creation of laminates, we are on a mission to transform your vision into reality.



• BUT WITH YOUR

Heart —

FIND THE THINGS THAT

• CONNECT WITH YOU • HOW ELSE WILL YOU KNOW How to design your home?

Kelly Hoppen















































Are

AND BE A

COLLECTION OF WHAT

You Love

Nate Berkus

































IS NOTHING BUT A
HUMBLE UNDERSTANDING

Of Materials

A NATURAL INSTINCT

SOLUTIONS AND

RESPECT FOR

B. V. Doshi

Nature



Super Premium laminates are embossed in register to imitate the natural grain and knots of the original design. It creates a dramatic level of realism because unlike other laminate surfaces it matches the texture of the decor paper's underlying pattern rather than just applying a generic texture. The innovative embossing process creates a surface which will bring depth and dimension to your space.











































































**XYLEM** 

























## **Product Data / Specifications**

### **Royal Crown Metal Series**

Crown presents the Metal Foil series with variants to choose from different textures.

These laminates are specifically designed for vertical interior applications and work brilliantly as high lighters.

#### **Royal Crown Phenolic Backers**

Phenolic Backers are produced for application to unexposed surfaces and therefore these backers are devoid of any design over the surface unlike general purpose laminates.

#### **Royal Crown Fire Retardant Laminates**

These Laminates are slowly gaining popularity due to its ability to retard and delay the spread of fire. These laminates can be used just about any where but are popular with schools and colleges.

#### **Royal Crown Anti-static Laminates**

These laminates are manufactured with special resin formulations to make sure they don't conduct static electricity and typical applications range from IT offices, call centres, laboratories, electronic industries and pharmaceutical laboratories.

#### **Royal Crown Colour-Core Series**

These laminates are typically used in areas where the laminates cross section is clearly visible and therefore the cross section and the design over the surface have the same colour.

#### **Royal Chemical Resistant Laminates**

These laminates have special additives and protective surface film that make them spot on for usage in laboratories, clinics and other pharmaceutical areas where interaction with chemical is a day to day affair.

#### **Royal Crown Post forming Laminates**

Post Forming grade Laminates are typically used in both vertical and horizontal applications and in interiors, where the laminate is required to form or roll over different radius over the surface of the substrate.

#### **Royal Crown Compact Laminates**

This Compact solid surface is manufactured from special phenolic resins.

Due to the strength of compact laminate, it has properties of dimensional stability, water and weather resistance. The usage is usually in School Benches, Toilet Cubicles, Kitchen Platforms, Wall Panelling and any other applications where load bearing is requested.

#### Royal Crown Chalk/Marker Laminates

Crown presents Write-on Laminates which constitute of Marker and Chalk Grade Laminates.

Usage ranges any where from schools, Colleges to offices and other work places.

# **Technical specification**

PROPERTIES	SPECIFIED VALUES AS PER IS: 2046-1995, TYPE S,HGS	CROWN LAMINATES
Product		
High Pressure Decorative laminated sheets		
-Size	1220×2440 MM	1220 X 2440 MM
-Thickness	1.0 MM	1.0 MM
-Thickness	1.000mm (+0.10 mm)	(+/- 0.05 mm)
Dimensional Stability at deviated temperature		
-Longitudinal (%)	0.55 (Maximum)	0.35(Max)
-T ransverse (%)	I.025 (Maximum)	0.75(Max)
Dimensional Stability at 20'C		
-Longitudinal (%)	0.375 (Maximum)	0.275 (Max)
-T ransverse (%)	0.60 (Maximum)	0.49 (Max)
Resistance to dry heat 180'C	Not worse than Grade 4	Passed
Resistance to immersion in boiling water		
-Mass increase (%)	10.0 (Maximum)	6.5 (Max)
-Thichness increase (%)	II. 8 (Maximum)	7.8 (Max)
-Appearance	Not worse than Grade 4	Passed
Resistance to impact by small diameter ball	20 N (Minimum)	25N (Minimum)
Resistance to cracking	Not worse than Grade 4	Passed
Resistance to scratching	2 N (Minimum)	3 N (Minimum)
Resistance to staining	Not worse than Grade 5	Passed
Resistance to cigarette burns	Not worse than Grade 3	Passed
Resistance to steam	Not worse than Grade 4	Passed
Resistance to colour change (wool standards)		
-In Xenon arc light	Not worse than Grade 6	Passed
-In enclosed Carbon arc light	Not worse than Grade 5	Passed
Resistance to surface wear	350 (revolution)	410 (Revolution)
Apperance	Should be free from foreign particles	Passed

## Maintenance

Clean with soft moist cloth with mild soap solution of household detergent. Cleaner should not be used. Pearl colours are recommended for vertical applications.

#### Note:

Samples pasted are indicative of colour, pattern and finish. Not actual thickness.

**Disclaimer :** Customers are advised to reconfirm laminate colour & Finish.

Our liability does not include claims arising out of sample chip pasting error.

#### Warranty

Royal crown laminates recommends product to be inspected before installation. Our liability will be limited to the extent of cost of the product only.







## **Crown Decor Pvt. Ltd.**

**Head Office**: 6-Patel Avenue, First Floor, Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 059, Gujarat, INDIA Phone: +91 79 4001 7979 • Fax: +91 79 4001 7900

Factory: Survey No. 419/1, Radhe Industrial Estate, Tajpur Road, Changodar - 382 213, Ahmedabad, Gurajat, INDIA Phone: +91 95379 49494 • Fax: +91 78782 52343

Email: marketing@royalcrownlaminates.com Website: www.royalcrownlaminates.com





